

# Tightly Secure IBE under Constant-size Master Public Key

Jie Chen<sup>1,2</sup>(✉)\*, Junqing Gong<sup>3,4</sup>(✉)\*\* , and Jian Weng<sup>5</sup>(✉)\*\*\*

<sup>1</sup> East China Normal University, Shanghai, China  
S080001@e.ntu.edu.sg, <http://www.jchen.top>

<sup>2</sup> State Key Laboratory of Information Security,  
Institute of Information Engineering, Chinese Academy of Sciences, Beijing, China

<sup>3</sup> Shanghai Jiao Tong University, Shanghai, China  
gongjunqing@126.com

<sup>4</sup> Laboratoire LIP, École Normale Supérieure de Lyon, Lyon, France

<sup>5</sup> Jinan University, Guangzhou, China  
cryptjweng@gmail.com

**Abstract.** Chen and Wee [CRYPTO, 2013] proposed the first almost tightly and adaptively secure IBE in the standard model and left two open problems which called for a tightly secure IBE with (1) constant-size master public key and/or (2) constant security loss. In this paper, we propose an IBE scheme with *constant-size* master public key and *tighter* security reduction. This (partially) solves Chen and Wee’s first open problem and makes progress on the second one. Technically, our IBE scheme is built based on Wee’s petit IBE scheme [TCC, 2016] in the composite-order bilinear group whose order is product of four primes. The sizes of master public key, ciphertexts, and secret keys are not only constant but also nearly optimal as Wee’s petit IBE. We can prove its adaptive security in the *multi-instance, multi-ciphertext* setting [PKC, 2015] based on the decisional subgroup assumption and a subgroup variant of DBDH assumption. The security loss is  $\mathcal{O}(\log q)$  where  $q$  is the upper bound of the total number of secret keys and challenge ciphertexts per instance. It’s much smaller than those for all known adaptively secure IBE schemes in a concrete sense.

## 1 Introduction

In 1984, Shamir introduced the notion of *identity based encryptions* [Sha84] (IBE). The entire system is maintained by an authority called *Key Generation*

---

\* Supported by the National Natural Science Foundation of China (Nos. 61472142, 61632012) and the Science and Technology Commission of Shanghai Municipality (No. 14YF1404200). Part of this work was done while at École Normale Supérieure de Lyon in France.

\*\* Supported by the French ANR ALAMBIC project (ANR-16-CE39-0006).

\*\*\* Supported by the National Natural Science Foundation of China (Nos. 61272413, 61472165, 61133014).

*Center* (KGC) who publishes a master public key MPK and keeps the master secret key MSK. Each user receives his/her secret key SK for decryption from KGC which is produced using MSK. To encrypt a message to a user in the system, one only needs MPK and user's identity ID, which can be a descriptive tag such as email address.

Boneh and Franklin, in their seminal work [BF01] in 2001, formulated the security notion of IBE and proposed a pairing-based IBE in the random oracle model. Their security model has been accepted as standard model for IBE which ensures that a ciphertext for target identity  $ID^*$  reveals nothing of the plaintext even when adversary  $\mathcal{A}$  holding MPK can obtain secret keys for any identity other than  $ID^*$ . We call it *adaptive security* in the paper. After that, a series of work were devoted to constructing IBE schemes in the standard model (i.e., without random oracle) including Boneh and Boyen's IBE [BB04a] in the selective model<sup>6</sup>, Boneh and Boyen's IBE [BB04b] with huge security loss, Waters' IBE [Wat05] with large MPK, and Gentry's IBE [Gen06] based on  $q$ -type assumption. The *dual system methodology* was proposed in 2009 by Waters [Wat09]. With this novel and powerful proof technique, Waters proposed an IBE scheme with constant-size MPK in the standard model. The adaptive security is proven based on standard and static complexity assumptions, and the security loss is proportional to the amount of secret keys held by the adversary. This is the first IBE scheme achieving all these features simultaneously.

Since Waters deals with only one secret key at a time in the proof, a security loss of such an order of magnitude seems to be inherent. Fortunately, Chen and Wee [CW13] combined the proof idea underlying Naor-Reingold PRF [NR04] and the dual system methodology and showed an *almost-tightly* secure IBE scheme. Here *almost tight* means the security loss can be bounded by a polynomial in security parameter  $\lambda$  instead of the number of revealed secret keys. Soon afterwards, Blazy *et al.* [BKP14] described a generic transformation from affine MAC to IBE and constructed an affine MAC with almost-tight reduction. Their method essentially follows Chen and Wee's [CW13] but leads to a more efficient IBE. Recently, the study of almost-tightly secure IBE has extended to the *multi-instance, multi-ciphertext setting* [HKS15,GCD<sup>+</sup>16,AHY15,GDCC16]. However the following two problems left by Chen and Wee [CW13] still remain open.

**Question 1.** Can we achieve master public key of constant size?

**Question 2.** Can we achieve constantly tight reduction?

It's worth noting that Attrapadung *et al.* [AHY15] provided a technique achieving a trade-off between the size of master public key and sizes of secret keys and ciphertexts. As a special case, they can indeed reach constant-size master public key but at the cost of larger secret keys and ciphertexts (and vice

<sup>6</sup> In the selective model, the adversary has to choose the target identity  $ID^*$  before seeing MPK. This is weaker than Boneh and Franklin's adaptive security model.

versa). Here we do not consider this as a satisfactory solution to Chen and Wee’s first open problem. One must preserve advantages of Chen and Wee’s IBE such as constant-size secret keys and ciphertexts.

### 1.1 Our Contribution

In this paper, we present an IBE scheme in the composite-order bilinear group [BGN05] with constant-size master public key, ciphertexts, and secret keys. The adaptive security in the multi-instance, multi-ciphertext setting relies on several concrete decisional subgroup assumptions [BWY11] and a subgroup variant of decisional bilinear Diffie-Hellman (DBDH) assumption. The security reduction arises a probability loss of  $\mathcal{O}(\log q)$  in which  $q$  is the upper bound of the total number of secret keys and challenge ciphertexts per instance.

We make a comparison in Table 1. On one hand, our IBE has the shortest master public key, ciphertexts, secret keys and fastest decryption algorithm `Dec`. In fact the performance is nearly optimal as Wee’s petit IBE [Wee16]. On the other hand, we achieve a tighter reduction in a concrete sense<sup>7</sup>. Under typical setting where  $q = 2^{30}$  and  $n = 128$ , the security loss of our IBE scheme is just a quarter of those for all previous ones [CW13,HKS15,AHY15]. Therefore our result (partially) answers Chen and Wee’s first open problem and makes a significant progress on the second one. We emphasize that the multi-instance, multi-ciphertext setting [HKS15] is more realistic and complex than Boneh and Franklin’s standard security notion [BF01]. This means that we are actually working on Chen and Wee’s open problems in a more complex setting.

**Our Strategy.** Chen and Wee [CW13] have pointed out that solving these two open problems may require some kinds of progresses in the underlying PRF, which is another long-standing problem. As our high-level strategy, we reverse the problem in order to circumvent the technical difficulty. In particular, instead of reducing the size of master public key of a tightly secure IBE to constant, we try to *improve the tightness of an IBE scheme already with constant-size master public key*. Technically, we propose a variant of Wee’s petit IBE [Wee16] which is tightly secure and inherits all advantages from Wee’s petit IBE. Our work is inspired by Chen and Wee’s tight reduction technique from a very high level and brings Chase and Meiklejohn’s idea [CM14] back to Wee’s petit IBE [Wee16] in order to fulfil the intuition.

**Our Method.** Assume composite-order bilinear group  $(N = p_1 p_2 p_3, \mathbb{G}, \mathbb{G}_T, e)$ . Let’s review Wee’s petit IBE [Wee16]. From a high level, Wee followed the dual

<sup>7</sup> Let  $\lambda$  be the security parameter. In the common case that  $n = \text{poly}(\lambda)$  and  $q = \text{poly}(\lambda)$ , we can see that  $\mathcal{O}(n)$  and  $\mathcal{O}(\log q)$  are equivalent to  $\mathcal{O}(\lambda)$  and  $\mathcal{O}(\log \lambda)$ , respectively. Superficially, our reduction is also tighter in an asymptotical sense. However  $\mathcal{O}(\log \lambda)$  here contains an adversarially-dependent constant while  $\mathcal{O}(\lambda)$  is totally independent of adversary.

**Table 1.** Comparing existing tightly secure IBE in the composite-order bilinear group.

scheme	MPK	SK	CT  +  KEY	Dec	tightness	# $p_i$	mimc
[CW13]	$\mathcal{O}(n) \mathbb{G}  +  \mathbb{G}_T $	$2 \mathbb{G} $	$2 \mathbb{G}  +  \mathbb{G}_T $	$2\mathbb{P}$	$\mathcal{O}(n)$	3	no
[HKS15]	$\mathcal{O}(n) \mathbb{G}  +  \mathbb{G}_T $	$2 \mathbb{G} $	$2 \mathbb{G}  +  \mathbb{G}_T $	$2\mathbb{P}$	$\mathcal{O}(n)$	4	yes
[AHY15]	$\mathcal{O}(n) \mathbb{G}  +  \mathbb{G}_T $	$2 \mathbb{G} $	$2 \mathbb{G}  +  \mathbb{G}_T $	$2\mathbb{P}$	$\mathcal{O}(n)$	4	yes
	$8 \mathbb{G}  +  \mathbb{G}_T $	$\mathcal{O}(n) \mathbb{G} $	$\mathcal{O}(n) \mathbb{G}  +  \mathbb{G}_T $	$\mathcal{O}(n)\mathbb{P}$	$\mathcal{O}(n)$	4	yes
Ours	$2 \mathbb{G}  +  \mathbb{G}_T $	$ \mathbb{G} $	$ \mathbb{G}  +  \mathbb{G}_T $	$1\mathbb{P}$	$\mathcal{O}(\log q)$	4	yes

- In the table,  $n$  is the binary length of identities,  $q$  is the upper bound of total number of secret keys and challenge ciphertexts revealed to adversary in each instance.
- Column “# $p_i$ ” shows the number of prime factors of group order  $N$ .
- Column “mimc” indicates whether the scheme can be proved in the multi-instance, multi-ciphertext setting.
- The two sub-rows of row “[AHY15]” are for scheme  $\Phi_{cc}^{\text{comp}}$  and  $\Phi_{slp}^{\text{comp}}$ , respectively. Note that  $\Phi_{slp}^{\text{comp}}$  employs the trade-off technique we have mentioned, and we just show the parameter of an instantiation with constant MPK in the table.

system methodology [Wat09] and employed Déjà Q technique [CM14] with an extension. The IBE scheme is quite elegant as we described below.

$$\begin{aligned} \text{MPK} &: g_1, g_1^\alpha, e(g_1, u), \mathbf{H} \\ \text{SK}_{\text{ID}} &: u^{\frac{1}{\alpha+\text{ID}}} \cdot R_3 \\ \text{CT}_{\text{ID}} &: g_1^{(\alpha+\text{ID})s}, \mathbf{H}(e(g_1, u)^s) \cdot \mathbf{M} \end{aligned}$$

where  $g_1, u \leftarrow \mathbb{G}_{p_1}$ ,  $\alpha, s \leftarrow \mathbb{Z}_N$ ,  $R_3 \leftarrow \mathbb{G}_{p_3}$ ,  $\mathbf{H}$  is selected from a pairwise independent hash family. Here we consider  $\mathbb{G}_{p_1}$  as normal space and  $\mathbb{G}_{p_2}$  as semi-functional space. Subgroup  $\mathbb{G}_{p_3}$  is used to randomize secret keys.

To prove the adaptive security, he first transformed the challenge ciphertext into the form

$$\text{CT}_{\text{ID}^*} : S, \mathbf{H}(e(S, \text{SK}_{\text{ID}^*})) \cdot \mathbf{M}$$

where  $S \leftarrow \mathbb{G}_{p_1}\mathbb{G}_{p_2}$  and  $\text{SK}_{\text{ID}^*}$  is a secret key for target identity  $\text{ID}^*$ . The core step is to inject enough entropy into the semi-functional space of  $\text{SK}_{\text{ID}}$  for all  $\text{ID}$  “touched” by adversary (including the target identity  $\text{ID}^*$ ). More formally, define

$$f_i(x) = \sum_{j=1}^i \frac{r_j}{\alpha_j + x} \in \mathbb{Z}_{p_2}$$


where  $r_1, \dots, r_i, \alpha_1, \dots, \alpha_i \leftarrow \mathbb{Z}_{p_2}$ . It has been proved that  $f_q$  behaves like a truly random function given only  $q$  input-output pairs [Wee16, CM14] where  $q$  depends on the total number of identities involved (in secret keys revealed to adversary and the challenge ciphertext). The remaining task is to transform all involved secret keys (including that used in  $\text{CT}_{\text{ID}^*}$ )

$$\text{from } u^{\frac{1}{\alpha+\text{ID}}} \cdot \boxed{g_2^{f_0(\text{ID})}} \cdot R_3 \quad \text{into} \quad u^{\frac{1}{\alpha+\text{ID}}} \cdot \boxed{g_2^{f_q(\text{ID})}} \cdot R_3$$


where  $f_0(\text{ID}) = 0$  for all ID. Wee reached  $f_q$  in  $q$  steps following the roadmap

$$f_0 \rightarrow f_1 \rightarrow f_2 \rightarrow \cdots \rightarrow f_q.$$

In the  $k$ th step, he extracted one unit of entropy  $r_k$  and  $\alpha_k$  from the normal space (i.e., from  $u$  and  $\alpha$ ) and injected them into the semi-functional space (i.e., into  $f_{k-1}$ ). We illustrate the process in the graph below.




Chen and Wee's success [CW13] teaches us that one must reach  $f_q$  much more quickly in order to obtain tighter reduction. In other word, we should try to extract and inject more entropy each time. Our idea is to extract entropy from  $f_k$  ( $1 \leq k \leq q$ ) itself rather than from  $u$  and  $\alpha$ , and then inject them back into  $f_k$ . A key observation is that  $f_k$  already has  $k$  units of entropy (i.e.,  $\alpha_1, r_1, \dots, \alpha_k, r_k$ ) and the structure of  $f_k$  allows us to reach  $f_{2k}$  directly which will include  $2k$  units of entropy. This significantly accelerates the process towards  $f_q$ . In particular, the roadmap now becomes



where  $\hat{f}_k$  indicates the entropy extracted from  $f_k$ , both of which have the same structure but  $\hat{f}_k$  are defined by independent randomness over  $\mathbb{Z}_{p_3}$ . It's not hard to see that we only need  $n = \lceil \log q \rceil + 1$  steps to reach  $f_q$ .

To fulfill the above intuition, we introduce another semi-functional space, which we call *shadow semi-functional space*, to temporarily store the entropy extracted from  $f_k$  (i.e.,  $\hat{f}_k$  in the above graph) since we obviously can not put them into the normal space. Furthermore the new semi-functional space should allow us to flip all entropy back to the old semi-functional space as Chase and Meiklejohn [CM14] did. We sketch our method in the following graph where the IBE is now put into a bilinear group of order  $N = p_1 p_2 p_3 p_4$ . Subgroup  $\mathbb{G}_{p_3}$  acts

as the shadow semi-functional space and  $\mathbb{G}_{p_4}$  is used to randomize secret key.



We first extract one unit entropy from  $u$  and  $\alpha$  and puts them into the semi-functional space as [Wee16] which forms  $f_{2^0} = f_1$ . In the  $k$ th step, we first

$$\text{extract } g_3^{\hat{f}_{2^k-1}(\text{ID})} \text{ from } g_2^{f_{2^k-1}(\text{ID})}$$

and then

$$\text{flip } g_3^{\hat{f}_{2^k-1}(\text{ID})} \text{ back as } g_2^{\hat{f}_{2^k-1}(\text{ID})}$$

which forms  $g_2^{f_{2^k}(\text{ID})}$  together with  $g_2^{f_{2^k-1}(\text{ID})}$ . All these technical steps can be realized under several concrete instantiations of decisional subgroup assumption.

**On the Multi-ciphertext Setting.** We find that Wee's proof idea [Wee16] and our extension (see above) can be directly extended to the (single-instance) multi-ciphertext setting but with the restriction that only one challenge ciphertext is allowed for each target identity. This is the *weak* version of adaptive security in the multi-ciphertext setting [HKS15]. The first observation is that each challenge ciphertext has its own randomness  $s$  which is sufficient for hiding  $\alpha$  on the ciphertext side. That is we can always argue

$$\{g_1^{(\alpha+\text{ID})^s}, e(g_1, u)^s\} = \{g_1^{(\alpha+\text{ID})^s}, e(g_1^{(\alpha+\text{ID})^s}, u^{\frac{1}{\alpha+\text{ID}}})\} = \{g_1^s, e(g_1^s, u^{\frac{1}{\alpha+\text{ID}}})\}$$

even when there are more than one challenge ciphertexts; the second observation is that it's adequate to cope with more than one target identity by setting  $n = \lceil \log q_\sigma \rceil$  where  $q_\sigma$  is the total number of reveal keys and challenge ciphertexts. The restriction is set here so as to avoid the following situation: After reaching  $f_{2^n}$ , all  $l$  challenge ciphertexts for target identity  $\text{ID}^*$  will be in the form


$$\begin{aligned} S_1, & \text{H}(e(S_1, u^{\frac{1}{\alpha+\text{ID}^*}}) \cdot \boxed{e(S_1, g_2^{f_{2^n}(\text{ID}^*)})}) \cdot M_1, \quad S_1 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2}; \\ S_2, & \text{H}(e(S_2, u^{\frac{1}{\alpha+\text{ID}^*}}) \cdot \boxed{e(S_2, g_2^{f_{2^n}(\text{ID}^*)})}) \cdot M_2, \quad S_2 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2}; \\ & \vdots \\ S_l, & \text{H}(e(S_l, u^{\frac{1}{\alpha+\text{ID}^*}}) \cdot \boxed{e(S_l, g_2^{f_{2^n}(\text{ID}^*)})}) \cdot M_l, \quad S_l \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \end{aligned}$$

where boxed terms have their own randomness  $S_1, \dots, S_l$ , but share the same  $f_{2^n}(\text{ID}^*)$ .

To remove this restriction and achieve the *full* adaptive security [HKS15], we employ a subgroup variant of decisional bilinear Diffie-Hellman (DBDH) assumption (in subgroup  $\mathbb{G}_{p_2}$ ). This allows us to utilize randomness  $S_1, \dots, S_l$  and argues that the joint distribution of all boxed terms sharing  $f_{2^n}(\text{ID}^*)$  are pseudorandom. Our proof idea is almost the same as [HKS15] but our assumption is slightly simpler.

**On the Multi-instance Setting.** Hofheinz *et al.* [HKS15] also investigated the so-called *multi-instance* setting where adversary  $\mathcal{A}$  is allowed to attack multiple IBE instances at the same time. Fortunately, our technique and result in the single-instance setting (see above) can be extended to the multi-instance setting with a tiny adjustment. The high-level idea is to apply our proof technique (for the single-instance setting) to each instance in an *independent* but *concurrent* manner.

Assume there are  $\tau$  instances. For the  $\iota$ -th ( $1 \leq \iota \leq \tau$ ) instance, we define a series of functions  $f_{2^0}^{(\iota)}, \dots, f_{2^n}^{(\iota)}$  as in the single-instance setting, which are independent of those for other instances. Here we let  $n = \lceil \log \hat{q}_\sigma \rceil$  in which  $\hat{q}_\sigma$  is the upper bound of the total number of revealed secret keys and challenge ciphertexts per instance. We depict the process in the graph below. In the  $i$ th step, we create  $\tau$  functions  $f_{2^i}^{(1)}, \dots, f_{2^i}^{(\tau)}$  at a time using the random self-reducibility of decisional subgroup assumption.



Then, utilizing the random self-reducibility of the subgroup variant of DBDH assumption, we can prove the full adaptive security in the multi-instance setting.

## 1.2 Related Work

The dual system methodology has been applied to broader area of functional encryptions [OT10, LOS<sup>+</sup>10]. In 2014, Wee [Wee14] and Attrapadung [Att14] independently gave generic constructions of a large class of functional encryptions with adaptive security including attribute based encryption, inner-product encryption, and even functional encryption for regular language. They introduced the notion of predicate/pair encoding and employed the dual system methodology in the composite-order bilinear group. Their work have been extended to the prime-order setting in [AC16, Att16, CGW15] recently.

Tight reduction under short public parameter has been studied in the field of digital signature. Very recently, Hofheinz developed algebraic partitioning

technique [Hof16b] and adaptive partitioning technique [Hof16a] based on Chen and Wee’s result [CW13], which led to tightly secure signatures with constant verification key and public key encryption against chosen ciphertext attack with similar features. However it’s not quite direct to apply their technique to IBE.

Déjà Q technique was proposed by Chase and Meiklejohn [CM14]. They showed that one can avoid the use of (a class of)  $q$ -type assumptions with the help of a composite-order bilinear group equipped with decisional subgroup assumption using the dual system methodology. Recently, Wee gave a petit IBE scheme and broadcast encryption scheme [Wee16] with an extended Déjà Q technique. Their results have been used to build non-zero inner-product encryptions [CLR16] and functional commitments for linear functions [LRY16] (which implies many other important primitives such as accumulators.)

A recent work by Boyen and Li [BL16] established a generic framework from PRF to signatures and IBE utilizing the powerful tools in the lattice world. The reduction is constantly tight and the security loss of resulting scheme solely depends on that of underlying PRF. We remark that all tightly secure IBE schemes they showed still require non-constant-size master public key.

**Independent Work.** An independent work by Chase, Maller and Meiklejohn [CMM16] developed the basic Déjà Q technique [CM14] in a similar way to us. We focus on solving or making progress on two open problems left by Chen and Wee [CW13] in a specific area (i.e., tightly secure IBE) while Chase *et al.* focus on a more general goal, i.e., tightly translating a broader class of  $q$ -type assumptions into static one. Although they described four functional encryptions including an IBE scheme, its master public key consists of  $\mathcal{O}(n)$  group elements with identity space  $\{0, 1\}^n$ . As a matter of fact, neither Wee’s IBE nor ours can be derived from an IBE under  $q$ -type assumption using Chase *et al.*’s new framework [CMM16]. Therefore we believe it’s still necessary to propose and analyze the IBE directly.

**Open Problem.** Our proposed IBE scheme works in the composite-order bilinear group which can be a drawback. We leave it as an open problem to find a prime-order IBE with tight(er) reduction, constant-size master public key, secret keys and ciphertexts.

**Organization.** The paper will be organized as follows. Section 2 reviews several basic notions, the decisional subgroup assumption and a core lemma given by Wee [Wee16]. Section 3 describes our IBE scheme and proves the *weak* adaptive security in the single-instance, multi-ciphertext setting. We then extend the basic result to *full* adaptive security and *multi-instance* setting in Section 4 and Section 5, respectively.

## 2 Preliminaries

**Notation.** Let  $S$  be a finite set. The notation  $s \leftarrow S$  means that we pick  $s$  from  $S$  at random. “p.p.t.” is the abbreviation of “probabilistic polynomial time”.



## 2.1 Composite-order Bilinear Groups

Our IBE scheme is constructed in composite-order bilinear groups [BGN05]. We assume a group generator  $\text{GrpGen}$  which takes as input the security parameter  $1^\lambda$  and outputs group description  $\mathcal{G} = (N, \mathbb{G}, \mathbb{G}_T, e)$ , where order  $N$  is product of 4 distinct  $\Theta(\lambda)$ -bit primes, group  $\mathbb{G}$  and  $\mathbb{G}_T$  are all finite cyclic groups of order  $N$  and  $e$  is an efficient, non-degenerated bilinear map from  $\mathbb{G} \times \mathbb{G}$  to  $\mathbb{G}_T$ . With  $N = p_1 p_2 p_3 p_4$  for primes  $p_1, p_2, p_3, p_4$ , we let  $\mathbb{G}_{p_i}$  be the subgroup of order  $p_i$  in  $\mathbb{G}$  and use  $\mathbb{G}_{p_i}^*$  to refer to the set of all generators in  $\mathbb{G}_{p_i}$ , i.e.,  $\mathbb{G}_{p_i} \setminus \{1\}$ .

We review several concrete instantiations of decisional subgroup assumption [BWY11]. Since we can uniquely decompose  $\mathbb{G} = \mathbb{G}_{p_1} \times \mathbb{G}_{p_2} \times \mathbb{G}_{p_3} \times \mathbb{G}_{p_4}$ , we employ a special notation for sampling random elements from a composite-order subgroup of  $\mathbb{G}$ . For any two prime factors  $p_i, p_j$  of  $N$  with  $1 \leq i < j \leq 4$ , we use  $X_i X_j \leftarrow \mathbb{G}_{p_i} \mathbb{G}_{p_j}$  to indicate that we uniformly sample an element from the subgroup of order  $p_i p_j$ , whose respective components in  $\mathbb{G}_{p_i}, \mathbb{G}_{p_j}$  are  $X_i, X_j$ . The notation can also be applied to more general cases.

**Assumption 1 (SD1)** *For any p.p.t. adversary  $\mathcal{A}$  the following advantage function is negligible in  $\lambda$ .*

$$\text{Adv}_{\mathcal{A}}^{\text{SD1}}(\lambda) = |\Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, T_0) = 1] - \Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, T_1)]|,$$

where  $\mathcal{G} \leftarrow \text{GrpGen}(1^\lambda)$ ,  $g_1 \leftarrow \mathbb{G}_{p_1}^*$ ,  $g_4 \leftarrow \mathbb{G}_{p_4}^*$ ,

$$T_0 \leftarrow \mathbb{G}_{p_1} \quad \text{and} \quad T_1 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}.$$

**Assumption 2 (SD2)** *For any p.p.t. adversary  $\mathcal{A}$  the following advantage function is negligible in  $\lambda$ .*

$$\text{Adv}_{\mathcal{A}}^{\text{SD2}}(\lambda) = |\Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T_0) = 1] - \Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T_1)]|,$$

where  $\mathcal{G} \leftarrow \text{GrpGen}(1^\lambda)$ ,  $g_1 \leftarrow \mathbb{G}_{p_1}^*$ ,  $g_4 \leftarrow \mathbb{G}_{p_4}^*$ ,  $X_1 X_2 X_3 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ ,

$$T_0 \leftarrow \mathbb{G}_{p_1} \quad \text{and} \quad T_1 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2}.$$

**Assumption 3 (SD3)** *For any p.p.t. adversary  $\mathcal{A}$  the following advantage function is negligible in  $\lambda$ .*

$$\text{Adv}_{\mathcal{A}}^{\text{SD3}}(\lambda) = |\Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T_0) = 1] - \Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T_1)]|,$$

where  $\mathcal{G} \leftarrow \text{GrpGen}(1^\lambda)$ ,  $g_1 \leftarrow \mathbb{G}_{p_1}^*$ ,  $g_4 \leftarrow \mathbb{G}_{p_4}^*$ ,  $X_1 X_2 X_3 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ ,

$$T_0 \leftarrow \mathbb{G}_{p_2} \quad \text{and} \quad T_1 \leftarrow \mathbb{G}_{p_2} \mathbb{G}_{p_3}.$$

**Assumption 4 (SD4)** *For any p.p.t. adversary  $\mathcal{A}$  the following advantage function is negligible in  $\lambda$ .*

$$\begin{aligned} \text{Adv}_{\mathcal{A}}^{\text{SD4}}(\lambda) = & |\Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, Y_2 Y_4, T_0) = 1] - \\ & - \Pr[\mathcal{A}(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, Y_2 Y_4, T_1)]|, \end{aligned}$$

where  $\mathcal{G} \leftarrow \text{GrpGen}(1^\lambda)$ ,  $g_1 \leftarrow \mathbb{G}_{p_1}^*$ ,  $g_4 \leftarrow \mathbb{G}_{p_4}^*$ ,  $X_1 X_2 X_3 \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ ,  $Y_2 Y_4 \leftarrow \mathbb{G}_{p_2} \mathbb{G}_{p_4}$ ,

$$T_0 \leftarrow \mathbb{G}_{p_2} \mathbb{G}_{p_4} \quad \text{and} \quad T_1 \leftarrow \mathbb{G}_{p_3} \mathbb{G}_{p_4}.$$

## 2.2 Identity Based Encryptions

In the paper we define the notion of identity based encryption (IBE) in the framework of key encapsulation mechanism (KEM).

**Algorithms.** An IBE (in the single-instance setting) is composed of the following four p.p.t. algorithms:

- $\text{Setup}(1^\lambda) \rightarrow (\text{MPK}, \text{MSK})$ . The *setup algorithm*  $\text{Setup}$  takes as input the security parameter  $1^\lambda$  and outputs master public/secret key pair  $(\text{MPK}, \text{MSK})$ . We assume that  $\text{MPK}$  includes ciphertext space  $\mathcal{C}$  and key space  $\mathcal{K}$ .
- $\text{KeyGen}(\text{MPK}, \text{MSK}, \text{ID}) \rightarrow \text{SK}$ . The *key generation algorithm*  $\text{KeyGen}$  takes as input the master public key  $\text{MPK}$ , the master secret key  $\text{MSK}$  and an identity  $\text{ID}$  and outputs its secret key  $\text{SK}$ .
- $\text{Enc}(\text{MPK}, \text{ID}) \rightarrow (\text{CT}, \text{KEY})$ . The *encryption algorithm*  $\text{Enc}$  takes as input the master public key  $\text{MPK}$  and an identity  $\text{ID}$  and outputs a ciphertext  $\text{CT} \in \mathcal{C}$  along with key  $\text{KEY} \in \mathcal{K}$ .
- $\text{Dec}(\text{MPK}, \text{CT}, \text{SK}) \rightarrow \text{KEY}$ . The *decryption algorithm*  $\text{Dec}$  takes as input the master public key  $\text{MPK}$ , a ciphertext  $\text{CT}$  and a secret key  $\text{SK}$  and outputs key  $\text{KEY}$  or  $\perp$ .

**Correctness.** For any  $\lambda \in \mathbb{N}$ ,  $(\text{MPK}, \text{MSK}) \in [\text{Setup}(1^\lambda)]$ , identity  $\text{ID}$ , we require

$$\Pr \left[ \text{Dec}(\text{MPK}, \text{CT}, \text{SK}) = \text{KEY} \mid \begin{array}{l} \text{SK} \leftarrow \text{KeyGen}(\text{MPK}, \text{MSK}, \text{ID}) \\ (\text{CT}, \text{KEY}) \leftarrow \text{Enc}(\text{MPK}, \text{ID}) \end{array} \right] \geq 1 - 2^{-\Omega(\lambda)}.$$

The probability space is defined by random coins of  $\text{KeyGen}$  and  $\text{Enc}$ .

**Security notion.** For any adversary  $\mathcal{A}$ , we define the advantage function as

$$\text{Adv}_{\mathcal{A}}^{\text{IBE}}(\lambda) = \left| \Pr \left[ \beta = \beta' \mid \begin{array}{l} (\text{MPK}, \text{MSK}) \leftarrow \text{Setup}(1^\lambda), \beta \leftarrow \{0, 1\} \\ \beta' \leftarrow \mathcal{A}^{\text{O}^{\text{KeyGen}}(\cdot), \text{O}_{\beta}^{\text{Enc}}(\cdot)}(1^\lambda, \text{MPK}) \end{array} \right] - \frac{1}{2} \right|$$

where oracles are defined as

- $\text{O}^{\text{KeyGen}}$ : On input  $(\text{ID})$ , the oracle returns  $\text{KeyGen}(\text{MPK}, \text{MSK}, \text{ID})$  and sets  $Q_K = Q_K \cup \{\text{ID}\}$ .
- $\text{O}_{\beta}^{\text{Enc}}$ : On input  $(\text{ID}^*)$ , the oracle samples  $(\text{CT}_1^*, \text{KEY}_1^*) \leftarrow \text{Enc}(\text{MPK}, \text{ID}^*)$ ,  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathcal{C} \times \mathcal{K}$  and returns  $(\text{CT}_{\beta}^*, \text{KEY}_{\beta}^*)$ . It then sets  $Q_C = Q_C \cup \{\text{ID}^*\}$ .

The probability is defined over random coins used by  $\text{Setup}$ , oracle  $\text{O}^{\text{KeyGen}}$  and  $\text{O}_{\beta}^{\text{Enc}}$ , and adversary  $\mathcal{A}$  as well as random bit  $\beta$ . We say an IBE is *adaptively secure and anonymous* if and only if the above advantage function is negligible in  $\lambda$  for any p.p.t. adversary such that  $Q_C \cap Q_K = \emptyset$ .

### 2.3 A Core Lemma

We review the lemma by Wee [Wee16] as follows.

**Lemma 1.** *Fix a prime  $p$ . For any adversary  $\mathcal{A}$  making at most  $q$  queries, we have*

$$\left| \Pr \left[ \mathcal{A}^{\mathcal{O}^f(\cdot)}(1^q) = 1 \right] - \Pr \left[ \mathcal{A}^{\mathcal{O}^{\text{RF}}(\cdot)}(1^q) = 1 \right] \right| \leq \frac{q^2}{p}$$

where oracles are defined as

- $\mathcal{O}^f$ : The oracle is initialized by picking  $r_1, \dots, r_q, \alpha_1, \dots, \alpha_q \leftarrow \mathbb{Z}_p$ . On input  $x \in \mathbb{Z}_p$ , it outputs

$$\sum_{i=1}^q \frac{r_i}{\alpha_i + x} \in \mathbb{Z}_p.$$

Every queries are answered using the same  $r_1, \dots, r_q, \alpha_1, \dots, \alpha_q$  we picked at the very beginning.

- $\mathcal{O}^{\text{RF}}$ : This oracle behaves as a truly random function  $\text{RF} : \mathbb{Z}_p \rightarrow \mathbb{Z}_p$ . On input  $x \in \mathbb{Z}_p$ , it returns  $\text{RF}(x)$  if it has been defined, otherwise it returns  $y \leftarrow \mathbb{Z}_p$  and defines  $\text{RF}(x) = y$ .

## 3 Our IBE Scheme

This section describes our IBE scheme. At current stage, we prove its *weak* adaptive security and anonymity in the *single-instance*, multi-challenge setting, i.e., adversary can access only one IBE instance and only one challenge ciphertext is allowed for *each* target identity.

### 3.1 Construction

Our IBE scheme is described as follows.

- **Setup**( $1^\lambda$ ). Run  $\mathcal{G} = (N, \mathbb{G}, \mathbb{G}_T, e) \leftarrow \text{GrpGen}(1^\lambda)$ . Sample

$$\alpha \leftarrow \mathbb{Z}_N, \quad g_1 \leftarrow \mathbb{G}_{p_1}^*, \quad u \leftarrow \mathbb{G}_{p_1}, \quad g_4 \leftarrow \mathbb{G}_{p_4}^*.$$

Pick  $\text{H} : \mathbb{G}_T \rightarrow \{0, 1\}^\lambda$  from a pairwise independent hash family. Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), \text{H}) \quad \text{and} \quad \text{MSK} = (\alpha, u, g_4).$$

- **KeyGen**(MPK, MSK, ID). Sample  $R_4 \leftarrow \mathbb{G}_{p_4}$  and output

$$\text{SK} = u^{\frac{1}{\alpha + \text{ID}}} \cdot R_4.$$

- **Enc**(MPK, ID). Sample  $s \leftarrow \mathbb{Z}_N$  and output

$$\text{CT} = g_1^{(\alpha + \text{ID})s} \quad \text{and} \quad \text{KEY} = \text{H}(e(g_1, u)^s).$$

- **Dec**(MPK, CT, SK). Return

$$\text{KEY} = \text{H}(e(\text{CT}, \text{SK})).$$

**Correctness.** We have

$$e(\text{CT}, \text{SK}) = e(g_1^{(\alpha+\text{ID})^s}, u^{\frac{1}{\alpha+\text{ID}}} \cdot R_4) = e(g_1, u)^{(\alpha+\text{ID})^s \cdot \frac{1}{\alpha+\text{ID}}} = e(g_1, u)^s.$$

This immediately proves the correctness.

### 3.2 Security Analysis: An Overview

We prove the following theorem.

**Theorem 1.** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $\mathcal{O}^{\text{KeyGen}}$  and  $\mathcal{O}_\beta^{\text{Enc}}$ , there exist  $\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3, \mathcal{B}_4$  such that*

$$\begin{aligned} \text{Adv}_{\mathcal{A}}^{\text{IBE}}(\lambda) \leq & \frac{5}{2} \cdot \text{Adv}_{\mathcal{B}_1}^{\text{SD1}}(\lambda) + 2 \cdot \text{Adv}_{\mathcal{B}_2}^{\text{SD2}}(\lambda) + 2 \cdot \lceil \log q_\sigma \rceil \cdot \text{Adv}_{\mathcal{B}_3}^{\text{SD3}}(\lambda) + \\ & + \left( 2 \cdot \lceil \log q_\sigma \rceil + \frac{1}{2} \right) \cdot \text{Adv}_{\mathcal{B}_4}^{\text{SD4}}(\lambda) + 2^{-\Omega(\lambda)} \end{aligned}$$

and  $\max\{\mathsf{T}(\mathcal{B}_1), \mathsf{T}(\mathcal{B}_2), \mathsf{T}(\mathcal{B}_3), \mathsf{T}(\mathcal{B}_4)\} \approx \mathsf{T}(\mathcal{A}) + q_\sigma^2 \cdot \text{poly}(\lambda)$ .

We prove the theorem using hybrid argument. We define the advantage function of any p.p.t. adversary  $\mathcal{A}$  in  $\text{Game}_{xxx}$  as

$$\text{Adv}_{\mathcal{A}}^{\text{Game}_{xxx}}(\lambda) = |\Pr[\beta = \beta'] - 1/2|$$

Let  $n = \lceil \log q_\sigma \rceil$ . Our proof employs the following game sequence.

**Game<sub>real</sub>** is the real game.

**Game<sub>0</sub>** is the real game with the following assumptions:

- $\mathcal{A}$  can not find  $\text{ID}, \text{ID}' \in \mathbb{Z}_N$  such that  $\text{ID} \neq \text{ID}'$  but  $\text{ID} = \text{ID}' \pmod{p_2}$ ;
- $\mathcal{A}$  can not find  $\text{ID} \in \mathbb{Z}_N$  such that  $\alpha + \text{ID} = 0 \pmod{p_1}$  even given  $\alpha$ .

One may notice that  $\mathcal{A}$  can efficiently factorize the order  $N$  and break the general decisional subgroup assumption when it violates one of the above two assumptions. Technically, **Game<sub>0</sub>** aborts immediately when  $\mathcal{A}$  submits  $\text{ID} \in \mathbb{Z}_N$  (through  $\mathcal{O}^{\text{KeyGen}}$  or  $\mathcal{O}_\beta^{\text{Enc}}$ ) such that

- $\text{gcd}(\text{ID} - \text{ID}', N) \notin \{1, N\}$  for some previous identity  $\text{ID}' \in \mathbb{Z}_N$ ;
- $\text{gcd}(\alpha + \text{ID}, N) \notin \{1, N\}$ .

Note that both  $N \in \mathbb{Z}$  and  $\alpha \in \mathbb{Z}_N$  are always available throughout our proof. We prove the following lemma.

**Lemma 2 (from **Game<sub>real</sub>** to **Game<sub>0</sub>**).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $\mathcal{O}^{\text{KeyGen}}$  and  $\mathcal{O}_\beta^{\text{Enc}}$ , there exist  $\mathcal{B}_1, \mathcal{B}_2$  such that  $\max\{\mathsf{T}(\mathcal{B}_1), \mathsf{T}(\mathcal{B}_2)\} \approx \mathsf{T}(\mathcal{A}) + q_\sigma \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_0}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_{\text{real}}}(\lambda)| \leq \frac{1}{2} \cdot \text{Adv}_{\mathcal{B}_1}^{\text{SD1}}(\lambda) + \frac{1}{2} \cdot \text{Adv}_{\mathcal{B}_2}^{\text{SD4}}(\lambda) + 2^{-\Omega(\lambda)}.$$

**Game'<sub>0</sub>** is identical to **Game<sub>0</sub>** except that, for each query ( $ID^*$ ) to  $O_\beta^{\text{Enc}}$ , we compute  $KEY_1^*$  as

$$KEY_1^* = H(e(CT_1^*, SK_{ID^*}))$$

where  $CT_1^*$  is produced as before and  $SK_{ID^*}$  is obtained via a  $O^{\text{KeyGen}}$  query ( $ID^*$ ). From the correctness, we have that

$$\text{Adv}_{\mathcal{A}}^{\text{Game}'_0}(\lambda) = \text{Adv}_{\mathcal{A}}^{\text{Game}_0}(\lambda)$$

for any p.p.t. adversary  $\mathcal{A}$ .

**Game''<sub>0</sub>** is identical to **Game'<sub>0</sub>** except that, for each query ( $ID^*$ ) to  $O_\beta^{\text{Enc}}$ , we compute  $CT_1^*$  as

$$g_1^s \quad \text{instead of} \quad g_1^{(\alpha + ID^*)s}$$

where  $s \leftarrow \mathbb{Z}_N$ . We have

$$\text{Adv}_{\mathcal{A}}^{\text{Game}''_0}(\lambda) = \text{Adv}_{\mathcal{A}}^{\text{Game}'_0}(\lambda)$$

for any p.p.t. adversary  $\mathcal{A}$  since the two games are exactly the same unless  $\alpha + ID^* = 0 \pmod{p_1}$  for some query ( $ID^*$ ). We emphasize that it holds even for the multiple challenge setting since  $s$  is freshly picked for each query.

**Game<sub>1</sub>** is identical to **Game''<sub>0</sub>** except that, for each query ( $ID^*$ ) to  $O_\beta^{\text{Enc}}$ , we compute  $CT_1^*$  as

$$(g_1 g_2 g_3)^s \quad \text{instead of} \quad g_1^s$$

where  $s \leftarrow \mathbb{Z}_N$ ,  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $g_3 \leftarrow \mathbb{G}_{p_3}^*$ . We prove the lemma.

**Lemma 3 (from Game''<sub>0</sub> to Game<sub>1</sub>).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $O^{\text{KeyGen}}$  and  $O_\beta^{\text{Enc}}$ , there exists  $\mathcal{B}$  with  $T(\mathcal{B}) \approx T(\mathcal{A}) + q_\sigma \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_1}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}''_0}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{SD1}}(\lambda) + 2^{-\Omega(\lambda)}.$$

**Game<sub>2.i</sub>** ( $0 \leq i \leq n$ ,  $n = \lceil \log q_\sigma \rceil$ ) is identical to **Game<sub>1</sub>** except that, for each query ( $ID$ ) to  $O^{\text{KeyGen}}$  (including those involved in  $O_\beta^{\text{Enc}}$ ), we return

$$u^{\frac{1}{\alpha + ID}} \cdot \boxed{g_2^{\sum_{j=1}^{2^i} \frac{r_j}{\alpha_j + ID}}} \cdot R_4$$

where  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $\alpha_j, r_j \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ . We must prove the following lemma first.

**Lemma 4 (from Game<sub>1</sub> to Game<sub>2.0</sub>).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $O^{\text{KeyGen}}$  and  $O_\beta^{\text{Enc}}$ , there exists  $\mathcal{B}$  with  $T(\mathcal{B}) \approx T(\mathcal{A}) + q_\sigma \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_{2.0}}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_1}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{SD2}}(\lambda) + 2^{-\Omega(\lambda)}.$$

To move from  $\text{Game}_{2.i}$  to  $\text{Game}_{2.(i+1)}$ , we need two additional games:

- $\text{Game}_{2.i.1}$  is identical to  $\text{Game}_{2.i}$  except that, for each query (ID) to  $\mathcal{O}^{\text{KeyGen}}$ , we return

$$u^{\frac{1}{\alpha+\text{ID}}} \cdot g_2^{\sum_{j=1}^{2^i} \frac{r_j}{\alpha_j+\text{ID}}} \cdot \boxed{g_3^{\sum_{j=1}^{2^i} \frac{\hat{r}_j}{\hat{\alpha}_j+\text{ID}}}} \cdot R_4$$

where  $g_3 \leftarrow \mathbb{G}_{p_3}^*$  and  $\alpha_j, r_j, \hat{\alpha}_j, \hat{r}_j \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ .

- $\text{Game}_{2.i.2}$  is identical to  $\text{Game}_{2.i}$  except that, for each query (ID) to  $\mathcal{O}^{\text{KeyGen}}$ , we return

$$u^{\frac{1}{\alpha+\text{ID}}} \cdot g_2^{\sum_{j=1}^{2^i} \frac{r_j}{\alpha_j+\text{ID}}} \cdot \boxed{g_3^{\sum_{j=1}^{2^i} \frac{\hat{r}_j}{\hat{\alpha}_j+\text{ID}}}} \cdot R_4$$

where  $\alpha_j, r_j, \hat{\alpha}_j, \hat{r}_j \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ .

We prove the following two lemmas.

**Lemma 5 (from  $\text{Game}_{2.i}$  to  $\text{Game}_{2.i.1}$ ).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $\mathcal{O}^{\text{KeyGen}}$  and  $\mathcal{O}_\beta^{\text{Enc}}$ , there exists  $\mathcal{B}$  with  $\mathsf{T}(\mathcal{B}) \approx \mathsf{T}(\mathcal{A}) + q_\sigma^2 \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_{2.i.1}}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_{2.i}}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{SD3}}(\lambda) + 2^{-\Omega(\lambda)}.$$

**Lemma 6 (from  $\text{Game}_{2.i.1}$  to  $\text{Game}_{2.i.2}$ ).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $\mathcal{O}^{\text{KeyGen}}$  and  $\mathcal{O}_\beta^{\text{Enc}}$ , there exists  $\mathcal{B}$  with  $\mathsf{T}(\mathcal{B}) \approx \mathsf{T}(\mathcal{A}) + q_\sigma^2 \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_{2.i.2}}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_{2.i.1}}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{SD4}}(\lambda) + 2^{-\Omega(\lambda)}.$$

Observe that all  $r_j$  and all  $\hat{r}_j$  are i.i.d. variables in  $\text{Game}_{2.i.2}$ . By setting  $\alpha_{2^i+k} = \hat{\alpha}_k$  and  $r_{2^i+k} = \hat{r}_k$  for all  $k \in [2^i]$ , one can claim that

$$\text{Adv}_{\mathcal{A}}^{\text{Game}_{2.i.2}}(\lambda) = \text{Adv}_{\mathcal{A}}^{\text{Game}_{2.(i+1)}}(\lambda)$$

for any adversary  $\mathcal{A}$ .

$\text{Game}_3$  is identical to  $\text{Game}_{2.n}$  except that, for each query (ID) to  $\mathcal{O}^{\text{KeyGen}}$ , we return

$$u^{\frac{1}{\alpha+\text{ID}}} \cdot g_2^{\text{RF}(\text{ID})} \cdot R_4$$

where  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and RF is a truly random function. By the core lemma shown in Section 2.3, we have

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_{2.n}}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_3}(\lambda)| \leq 2^{-\Omega(\lambda)}$$

for any adversary  $\mathcal{A}$ .

**Game<sub>4</sub>** is identical to **Game<sub>3</sub>** except that, for each query  $(ID^*)$  to  $O_{\beta}^{\text{Enc}}$ , we directly sample  $KEY_1^* \leftarrow \{0, 1\}^\lambda$ . In **Game<sub>3</sub>**, we compute a challenge for  $ID^*$  as follows:

$$CT_1^* = (g_1 g_2 g_3)^s \quad \text{and} \quad KEY_1^* = H(e(g_1^s, u^{\frac{1}{\alpha + ID^*}}) \cdot \boxed{e(g_2, g_2)^{s \cdot RF(ID^*)}}).$$

Due to the restrictions in the security game,  $RF(ID^*)$  will be evaluated only in this place and the boxed term has entropy of  $p_2 = \Theta(\lambda)$  which means we can sample  $KEY_1^* \leftarrow \{0, 1\}^\lambda$  instead but with small error. This comes from the leftover hash lemma and the fact that the pairwise independent hash family is a stronger extractor. Formally we have

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_4}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_3}(\lambda)| \leq 2^{-\Omega(\lambda)}$$

for any adversary  $\mathcal{A}$ .

Utilizing, in a reversed manner, a game sequence which is identical to the above except that we always sample  $KEY_1^* \leftarrow \{0, 1\}^\lambda$  when answering queries to  $O_{\beta}^{\text{Enc}}$ , we may reach a game where we create

$$\boxed{CT_1^* \leftarrow \mathbb{G}_{p_1}} \quad \text{and} \quad KEY_1^* \leftarrow \{0, 1\}^\lambda \quad \text{for all } ID^*.$$

This means we can answer all queries to  $O_{\beta}^{\text{Enc}}$  without  $\beta$  and this readily proves the main theorem.

### 3.3 Security Analysis: Proving All Lemmas

This subsection provides all omitted proofs.

#### **Proof of Lemma 2.**

*Proof (a sketch).* Let  $\text{Abort}_{\mathcal{A}}$  be the event that **Game<sub>0</sub>** aborts with adversary  $\mathcal{A}$ . We have

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_0}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_{\text{real}}}(\lambda)| \leq \Pr[\text{Abort}_{\mathcal{A}}].$$

As we have discussed, when  $\text{Abort}_{\mathcal{A}}$  occurs, one can reach a non-trivial factorization of  $N$ . That is we can efficiently compute  $N_1, N_2 \in \mathbb{Z}$  such that  $N = N_1 N_2$  and  $1 < N_1, N_2 < N$ . Let us consider the following three cases:

1. If  $p_4 | N_1$  and  $p_2 \nmid N_1$ , given  $(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, Y_2 Y_4, T)$  where either  $T \leftarrow \mathbb{G}_{p_2} \mathbb{G}_{p_4}$  or  $T \leftarrow \mathbb{G}_{p_3} \mathbb{G}_{p_4}$ , we observe that  $(Y_2 Y_4)^{N_1} \in \mathbb{G}_{p_2}$ . This allows us to break SD4 assumption by checking whether  $e((Y_2 Y_4)^{N_1}, T) = 1$ .
2. If  $p_2 p_4 | N_1$  and  $p_3 \nmid N_1$ , given  $(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, Y_2 Y_4, T)$  where either  $T \leftarrow \mathbb{G}_{p_2} \mathbb{G}_{p_4}$  or  $T \leftarrow \mathbb{G}_{p_3} \mathbb{G}_{p_4}$ , we can break SD4 assumption by checking whether  $T^{N_1} = 1$ .
3. If  $p_2 p_3 p_4 | N_1$ , it must be the case that  $N_2 = p_1$ . Given  $(\mathcal{G}, g_1, g_4, T)$  where either  $T \leftarrow \mathbb{G}_{p_1}$  or  $T \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ , we can break SD1 assumption by checking whether  $T^{N_2} = 1$ .

In all three cases, we have access to  $(\mathcal{G}, g_1, g_4)$  which is sufficient for simulating  $\text{Game}_0$  for  $\mathcal{A}$ . Therefore we can claim that there exist  $\mathcal{B}_1, \mathcal{B}_2$  such that  $\max\{\mathbb{T}(\mathcal{B}_1), \mathbb{T}(\mathcal{B}_2)\} \approx \mathbb{T}(\mathcal{A}) + q_\sigma \cdot \text{poly}(\lambda)$  and

$$\Pr[\text{Abort}_{\mathcal{A}}] \leq \frac{1}{2} \cdot \text{Adv}_{\mathcal{B}_1}^{\text{SD}^1}(\lambda) + \frac{1}{2} \cdot \text{Adv}_{\mathcal{B}_2}^{\text{SD}^4}(\lambda) + 2^{-\Omega(\lambda)}.$$

This proves the lemma.  $\square$

### Proof of Lemma 3.

*Proof.* Given  $(\mathcal{G}, g_1, g_4, T)$  where either  $T \leftarrow \mathbb{G}_{p_1}$  or  $T \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha \leftarrow \mathbb{Z}_N$  and  $u \leftarrow \mathbb{G}_{p_1}$ . Select hash function  $\text{H}$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), \text{H})$$

and store  $\text{MSK} = (\alpha, u, g_4)$ .

**Answering  $\text{O}^{\text{KeyGen}}$ .** On input  $(\text{ID})$ , return  $\text{KeyGen}(\text{MPK}, \text{MSK}, \text{ID})$  directly.

**Answering  $\text{O}_\beta^{\text{Enc}}$ .** On input  $(\text{ID}^*)$ , obtain  $\text{SK}_{\text{ID}^*}$  via a query  $(\text{ID}^*)$  to  $\text{O}^{\text{KeyGen}}$ .

Sample  $s' \leftarrow \mathbb{Z}_N$  and compute

$$\text{CT}_1^* = T^{s'} \quad \text{and} \quad \text{KEY}_1^* = \text{H}(e(T^{s'}, \text{SK}_{\text{ID}^*})).$$

$\mathcal{B}$  then picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

When  $T \leftarrow \mathbb{G}_{p_1}$ , the simulation is identical to  $\text{Game}_0''$ ; when  $T \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$ , the simulation is identical to  $\text{Game}_1$ . The additive probability error  $2^{-\Omega(\lambda)}$  is caused by trivial subgroup components in  $T$ . Because we actually take  $T$  as a generator, our simulation will deviate from both or one of the games if there exists any trivial subgroup component in it.  $\square$

### Proof of Lemma 4.

*Proof.* Given  $(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T)$  where either  $T = u \leftarrow \mathbb{G}_{p_1}$  or  $T = u g_2^r \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2}$  for  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $r \leftarrow \mathbb{Z}_N$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha \leftarrow \mathbb{Z}_N$  and select hash function  $\text{H}$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, T), \text{H}).$$

Observe that  $e(g_1, T) = e(g_1, u)$  in both cases.

**Answering  $\text{O}^{\text{KeyGen}}$ .** On input  $(\text{ID})$ , sample  $R_4 \leftarrow \mathbb{G}_{p_4}$  and return

$$T^{\frac{1}{\alpha + \mathbb{w}}} \cdot R_4.$$

**Answering  $\text{O}_\beta^{\text{Enc}}$ .** On input  $(\text{ID}^*)$ , sample  $s' \leftarrow \mathbb{Z}_N$  and compute

$$\text{CT}_1^* = (X_1 X_2 X_3)^{s'} \quad \text{and} \quad \text{KEY}_1^* = \text{H}(e((X_1 X_2 X_3)^{s'}, \text{SK}_{\text{ID}^*}))$$

where  $\text{SK}_{\text{ID}^*}$  is obtained via oracle  $\text{O}^{\text{KeyGen}}$ .  $\mathcal{B}$  then picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .



**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

When  $T = u$ , the simulation is identical to  $\text{Game}_1$ ; when  $T = ug_2^r$ , the simulation is identical to  $\text{Game}_{2.0}$  where  $\alpha_1 = \alpha \bmod p_2$  and  $r_1 = r \bmod p_2$ . The additive probability error  $2^{-\Omega(\lambda)}$  is caused by trivial subgroup components in  $X_1X_2X_3$ .  $\square$

### Proof of Lemma 5.

*Proof.* Given  $(\mathcal{G}, g_1, g_4, X_1X_2X_3, T)$  where either  $T = g_2 \leftarrow \mathbb{G}_{p_2}$  or  $T = g_2g_3 \leftarrow \mathbb{G}_{p_2}\mathbb{G}_{p_3}$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha \leftarrow \mathbb{Z}_N$  and  $u \leftarrow \mathbb{G}_{p_1}$ . Select hash function  $H$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), H).$$

Sample  $\alpha'_1, \dots, \alpha'_{2^i}, r'_1, \dots, r'_{2^i} \leftarrow \mathbb{Z}_N$ .

**Answering  $\text{O}^{\text{KeyGen}}$ .** On input  $(\text{ID})$ , sample  $R_4 \leftarrow \mathbb{G}_{p_4}$  and return

$$u^{\frac{1}{\alpha + \text{ID}}} \cdot T^{\sum_{j=1}^{2^i} \frac{r'_j}{\alpha'_j + \text{ID}}} \cdot R_4.$$

**Answering  $\text{O}_\beta^{\text{Enc}}$ .** On input  $(\text{ID}^*)$ , sample  $s' \leftarrow \mathbb{Z}_N$  and compute

$$\text{CT}_1^* = (X_1X_2X_3)^{s'} \quad \text{and} \quad \text{KEY}_1^* = H(e((X_1X_2X_3)^{s'}, \text{SK}_{\text{ID}^*}))$$

where  $\text{SK}_{\text{ID}^*}$  is obtained via oracle  $\text{O}^{\text{KeyGen}}$ .  $\mathcal{B}$  then picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

When  $T = g_2$ , the simulation is identical to  $\text{Game}_{2.i}$ ; when  $T = g_2g_3$ , the simulation is identical to  $\text{Game}_{2.i.1}$ . We set

$$\alpha_j = \alpha'_j \bmod p_2, \quad r_j = r'_j \bmod p_2, \quad \text{for all } j \in [2^i]$$

for both cases and set

$$\hat{\alpha}_j = \alpha'_j \bmod p_3, \quad \hat{r}_j = r'_j \bmod p_3, \quad \text{for all } j \in [2^i]$$

in the case of  $T = g_2g_3$ . The additive probability error  $2^{-\Omega(\lambda)}$  is caused by trivial subgroup components in  $X_1X_2X_3$  and  $T$ .  $\square$

### Proof of Lemma 6.

*Proof.* Given  $(\mathcal{G}, g_1, g_4, X_1X_2X_3, Y_2Y_4, T)$  where either  $T = g_2R_4 \leftarrow \mathbb{G}_{p_2}\mathbb{G}_{p_4}$  or  $T = g_3R_4 \leftarrow \mathbb{G}_{p_3}\mathbb{G}_{p_4}$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha \leftarrow \mathbb{Z}_N$  and  $u \leftarrow \mathbb{G}_{p_1}$ . Select hash function  $H$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), H).$$

Sample  $\alpha'_1, \dots, \alpha'_{2^i}, r'_1, \dots, r'_{2^i}, \hat{\alpha}_1, \dots, \hat{\alpha}_{2^i}, \hat{r}_1, \dots, \hat{r}_{2^i} \leftarrow \mathbb{Z}_N$ .

**Answering**  $\mathcal{O}^{\text{KeyGen}}$ . On input  $(\text{ID})$ , sample  $R'_4 \leftarrow \mathbb{G}_{p_4}$  and return

$$u^{\frac{1}{\alpha+\text{ID}}} \cdot (Y_2 Y_4)^{\sum_{j=1}^{2^i} \frac{r'_j}{\alpha'_j + \text{ID}}} \cdot T^{\sum_{j=1}^{2^i} \frac{\hat{r}_j}{\alpha'_j + \text{ID}}} \cdot R'_4.$$

**Answering**  $\mathcal{O}_\beta^{\text{Enc}}$ . On input  $(\text{ID}^*)$ , sample  $s' \leftarrow \mathbb{Z}_N$  and compute

$$\text{CT}_1^* = (X_1 X_2 X_3)^{s'} \quad \text{and} \quad \text{KEY}_1^* = \text{H}(e((X_1 X_2 X_3)^{s'}, \text{SK}_{\text{ID}^*}))$$

where  $\text{SK}_{\text{ID}^*}$  is obtained via oracle  $\mathcal{O}^{\text{KeyGen}}$ .  $\mathcal{B}$  then picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

Let  $Y_2 Y_4 = g_2^{y_2} g_4^{y_4}$ , we implicitly set

$$\alpha_j = \alpha'_j \bmod p_2 \quad \text{and} \quad r_j = r'_j \cdot y_2 \bmod p_2 \quad \text{for all } j \in [2^i].$$

When  $T = g_3 R_4$ , the simulation is identical to  $\text{Game}_{2.i.1}$ ; when  $T = g_2 R_4$ , the simulation is identical to  $\text{Game}_{2.i.2}$ . The additive probability error  $2^{-\Omega(\lambda)}$  is caused by trivial subgroup components in  $X_1 X_2 X_3$ ,  $Y_2 Y_4$  and  $T$ .  $\square$

## 4 Towards *Full* Adaptive Security

To prove the full adaptive security of our IBE scheme (in the single-instance setting), we still employ the game sequence described in the previous section. In fact, *nearly* all lemmas and results we have established still hold in the *full* adaptive security model where each target identity may have more than one challenge ciphertexts. The only exception is that we can not prove the indistinguishability between  $\text{Game}_3$  and  $\text{Game}_4$  just from the property of random function as before.

Following the work by Hofheinz *et al.* [HKS15], we find that we can prove the indistinguishability between them under a subgroup variant of DBDH assumption (see Assumption 5). This assumption is motivated by *Dual System Bilinear DDH assumption* from [HKS15] but is simpler.

**Assumption 5 (DBDH in  $\mathbb{G}_{p_2}$ )** For any p.p.t. adversary  $\mathcal{A}$  the following advantage function is negligible in  $\lambda$ .

$$\text{Adv}_{\mathcal{A}}^{\text{DBDH}}(\lambda) = |\Pr[\mathcal{A}(\mathcal{G}, D, T_0) = 1] - \Pr[\mathcal{A}(\mathcal{G}, D, T_1)]|,$$

where  $\mathcal{G} \leftarrow \text{GrpGen}(1^\lambda)$ ,  $g_1 \leftarrow \mathbb{G}_{p_1}^*$ ,  $g_2 \leftarrow \mathbb{G}_{p_2}^*$ ,  $g_3 \leftarrow \mathbb{G}_{p_3}^*$ ,  $g_4 \leftarrow \mathbb{G}_{p_4}^*$ ,  $a, b, c, r \leftarrow \mathbb{Z}_N$ ,

$$D = (\mathcal{G}, g_1, g_3, g_4, g_2, g_2^a, g_2^b, g_2^c);$$

$$T_0 = e(g_2, g_2)^{abc} \quad \text{and} \quad T_1 \leftarrow e(g_2, g_2)^r.$$

We can define two efficient algorithms to re-randomize DBDH problem instances as Hofheinz *et al.* [HKS15]. Given a DBDH instance, algorithm  $\text{ReRand}$  produces an entirely fresh instance while algorithm  $\text{ReRand}_a$  creates a fresh instance sharing  $b$  and  $c$  with its input. Their formal definitions are given below.

–  $\text{ReRand}_a(g_2, g_2^a, g_2^b, g_2^c, T) \rightarrow (g_2^{a'}, T')$  where  $a' \leftarrow \mathbb{Z}_N$  and

$$T' = \begin{cases} e(g_2, g_2)^{a'bc} & \text{when } T = e(g_2, g_2)^{abc} \\ e(g_2, g_2)^{r'} & \text{for } r' \leftarrow \mathbb{Z}_N \text{ when } T = e(g_2, g_2)^r \end{cases}$$

–  $\text{ReRand}(g_2, g_2^a, g_2^b, g_2^c, T) \rightarrow (g_2^{a'}, g_2^{b'}, g_2^{c'}, T')$  where  $a', b', c' \leftarrow \mathbb{Z}_N$  and

$$T' = \begin{cases} e(g_2, g_2)^{a'b'c'} & \text{when } T = e(g_2, g_2)^{abc} \\ e(g_2, g_2)^{r'} & \text{for } r' \leftarrow \mathbb{Z}_N \text{ when } T = e(g_2, g_2)^r \end{cases}$$

We now prove that  $\text{Game}_3$  and  $\text{Game}_4$  are *computationally* indistinguishable in the *full* adaptive security model. This will immediately derive the full adaptive security of our IBE scheme in the single-instance setting.

**Lemma 7 (from  $\text{Game}_3$  to  $\text{Game}_4$ ).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $q_\sigma$  queries to  $\mathcal{O}^{\text{KeyGen}}$  and  $\mathcal{O}_\beta^{\text{Enc}}$ , there exists  $\mathcal{B}$  with  $\mathsf{T}(\mathcal{B}) \approx \mathsf{T}(\mathcal{A}) + q_\sigma \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_3}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_4}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{DBDH}}(\lambda) + 2^{-\Omega(\lambda)}.$$

*Proof.* Given  $(\mathcal{G}, g_1, g_3, g_4, g_2, g_2^a, g_2^b, g_2^c, T)$  where either  $T = e(g_2, g_2)^{abc}$  or  $T = e(g_2, g_2)^r$  for some  $r \leftarrow \mathbb{Z}_N$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha \leftarrow \mathbb{Z}_N$  and  $u \leftarrow \mathbb{G}_{p_1}$ . Select hash function  $\text{H}$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), \text{H}).$$

**Answering  $\mathcal{O}^{\text{KeyGen}}$ .** On input  $(\text{ID})$ , return

$$u^{\frac{1}{\alpha + \text{ID}}} \cdot g_2^{\text{RF}(\text{ID})} \cdot R_4$$

where  $R_4 \leftarrow \mathbb{G}_{p_4}$  and  $\text{RF}$  is a truly random function.

**Answering  $\mathcal{O}_\beta^{\text{Enc}}$ .**  $\mathcal{B}$  maintains a list  $\mathcal{L}$ . On input  $(\text{ID}^*)$ , sample  $s' \leftarrow \mathbb{Z}_N$ . If one can find an entry  $(\text{ID}^*, g_2^{a'}, g_2^{b'}, g_2^{c'}, T') \in \mathcal{L}$ , get

$$(g_2^{a^*}, T^*) \leftarrow \text{ReRand}_a(g_2^{a'}, g_2^{b'}, g_2^{c'}, T');$$

otherwise get

$$(g_2^{a^*}, g_2^{b^*}, g_2^{c^*}, T^*) \leftarrow \text{ReRand}(g_2^a, g_2^b, g_2^c, T)$$

and update the list as  $\mathcal{L} = \mathcal{L} \cup \{(\text{ID}^*, g_2^{a^*}, g_2^{b^*}, g_2^{c^*}, T^*)\}$ .  $\mathcal{B}$  then computes

$$\text{CT}_1^* = (g_1 g_3)^{s'} \cdot g_2^{a^*} \quad \text{and} \quad \text{KEY}_1^* = \text{H}(e(g_1^{s'}, u^{\frac{1}{\alpha + \text{ID}^*}}) \cdot T^*).$$

Finally  $\mathcal{B}$  picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

We implicitly define RF as

$$\text{RF}(\text{ID}^*) = b^* c^* \quad \text{for all } (\text{ID}^*, g_2^{a^*}, g_2^{b^*}, g_2^{c^*}, T^*) \in \mathcal{L} \text{ (or } \text{ID}^* \in Q_C).$$

For all  $(\text{ID}^*, \star, \star, \star, \star) \in \mathcal{L}$  (or  $\text{ID}^* \in Q_C$ ), we have  $\text{ID}^* \notin Q_K$ . Therefore our simulation of RF is consistent. When  $T = e(g_2, g_2)^{abc}$ , the simulation is identical to  $\text{Game}_3$  where

$$T^* = e(g_2^{a^*}, g_2^{\text{RF}(\text{ID}^*)});$$

when  $T = e(g_2, g_2)^r$  for some  $r \leftarrow \mathbb{Z}_N$ , the simulation is identical to  $\text{Game}_4$  since all inputs of  $\text{H}$  have min-entropy  $\Theta(\lambda)$  and thus distributions of all  $\text{KEY}_1^*$  are statistically close to the uniform distribution over  $\{0, 1\}^\lambda$ .  $\square$

## 5 Towards *Multi-instance* Setting

Having obtained full adaptive security of our IBE scheme in the basic single-instance setting, we now extend the result to the *multi-instance setting* [HKS15]. Typically, all instances in question will share some parameters. Formally, we define two additional algorithms following [HKS15]:

- $\text{Param}(1^\lambda) \rightarrow \text{GP}$ . The *parameter generation algorithm*  $\text{Param}$  takes as input the security parameter  $1^\lambda$  and outputs global parameter GP.
- $\text{Setup}_m(\text{GP}) \rightarrow (\text{MPK}, \text{MSK})$ . The *setup algorithm*  $\text{Setup}_m$  takes as input the global parameter GP and outputs master public/secret key pair (MPK, MSK).

Each instance is established by running algorithm  $\text{Setup}_m$  with the global parameter GP (shared among all instances) and a fresh random coin. For simplicity, we assume that all instances have common ciphertext space  $\mathcal{C}$  and key space  $\mathcal{K}$ . With master public/secret key pair (MPK, MSK) generated by algorithm  $\text{Setup}_m$ , one can invoke algorithms  $\text{KeyGen}$ ,  $\text{Enc}$ ,  $\text{Dec}$  as in the single-instance setting. Therefore the correctness can be defined in a natural way.

The full adaptive security and anonymity in the multi-instance setting can be formulated by defining the advantage function as

$$\text{Adv}_{\mathcal{A}}^{\text{mIBE}}(\lambda) = \left| \Pr \left[ \beta = \beta' \mid \begin{array}{l} \text{GP} \leftarrow \text{Param}(1^\lambda), \beta \leftarrow \{0, 1\} \\ (\text{MPK}^{(\iota)}, \text{MSK}^{(\iota)}) \leftarrow \text{Setup}_m(\text{GP}), \quad \forall \iota \in [\tau] \\ \beta' \leftarrow \mathcal{A}^{\text{O}^{\text{KeyGen}}(\cdot, \cdot), \text{O}_\beta^{\text{Enc}}(\cdot, \cdot)}(1^\lambda, \text{MPK}^{(1)}, \dots, \text{MPK}^{(\tau)}) \end{array} \right] - \frac{1}{2} \right|$$

where  $\tau$  is the number of instances and oracles work as follows

- $\text{O}^{\text{KeyGen}}$ : On input  $(\iota, \text{ID})$ , the oracle returns  $\text{KeyGen}(\text{MPK}^{(\iota)}, \text{MSK}^{(\iota)}, \text{ID})$  and sets  $Q_K = Q_K \cup \{(\iota, \text{ID})\}$ .
- $\text{O}_\beta^{\text{Enc}}$ : On input  $(\iota^*, \text{ID}^*)$ , the oracle samples  $(\text{CT}_1^*, \text{KEY}_1^*) \leftarrow \text{Enc}(\text{MPK}^{(\iota^*)}, \text{ID}^*)$ ,  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathcal{C} \times \mathcal{K}$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ . Set  $Q_C = Q_C \cup \{(\iota^*, \text{ID}^*)\}$ .

## 5.1 Construction

We describe a multi-instance variant of our basic IBE scheme (shown in Sect. 3.1) as follows.

- **Param**( $1^\lambda$ ). Run  $\mathcal{G} = (N, \mathbb{G}, \mathbb{G}_T, e) \leftarrow \text{GrpGen}(1^\lambda)$ . Sample

$$g_1 \leftarrow \mathbb{G}_{p_1}^*, \quad g_4 \leftarrow \mathbb{G}_{p_4}^*.$$

Pick  $\text{H} : \mathbb{G}_T \rightarrow \{0, 1\}^\lambda$  from a pairwise independent hash family. Output

$$\text{GP} = (\mathcal{G}, g_1, g_4, \text{H}).$$

- **Setup<sub>m</sub>**(GP). Sample  $\alpha \leftarrow \mathbb{Z}_N$  and  $u \leftarrow \mathbb{G}_{p_1}$ . Output

$$\text{MPK} = (g_1, g_1^\alpha, e(g_1, u), \text{H}) \quad \text{and} \quad \text{MSK} = (\alpha, u, g_4).$$

The remaining algorithms **KeyGen**, **Enc**, **Dec** are defined as in Sect. 3.1.

## 5.2 Security

We prove the following theorem.

**Theorem 2.** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $\hat{q}_\sigma$  queries to  $\text{O}^{\text{KeyGen}}$  and  $\text{O}_\beta^{\text{Enc}}$  for each of  $\tau$  instances, there exist  $\mathcal{B}_1, \mathcal{B}_2, \mathcal{B}_3, \mathcal{B}_4$  such that*

$$\begin{aligned} \text{Adv}_{\mathcal{A}}^{\text{mIBE}}(\lambda) \leq & \frac{5}{2} \cdot \text{Adv}_{\mathcal{B}_1}^{\text{SD1}}(\lambda) + 2 \cdot \text{Adv}_{\mathcal{B}_2}^{\text{SD2}}(\lambda) + 2 \cdot \lceil \log \hat{q}_\sigma \rceil \cdot \text{Adv}_{\mathcal{B}_3}^{\text{SD3}}(\lambda) + \\ & + \left( 2 \cdot \lceil \log \hat{q}_\sigma \rceil + \frac{1}{2} \right) \cdot \text{Adv}_{\mathcal{B}_4}^{\text{SD4}}(\lambda) + 2^{-\Omega(\lambda)} \end{aligned}$$

and  $\max\{\text{T}(\mathcal{B}_1), \text{T}(\mathcal{B}_2), \text{T}(\mathcal{B}_3), \text{T}(\mathcal{B}_4)\} \approx \text{T}(\mathcal{A}) + \tau^2 \cdot q_\sigma^2 \cdot \text{poly}(\lambda)$ .

One may find that the above theorem is almost the same as Theorem 1. As a matter of fact, it can be proved in a similar way. As we have discussed, our main idea in this setting is to build an *independent* random function for *each* instance in a *concurrent* manner. The remaining of this subsection is devoted to showing how to upgrade the proof of Theorem 1 (c.f. Sect. 3.2 for game sequence and Sect. 3.3 for proof details) to prove Theorem 2.

**Game Sequence.** It's quite straightforward to extend  $\text{Game}_{\text{real}}, \text{Game}_0, \text{Game}'_0, \text{Game}''_0, \text{Game}_1$  and  $\text{Game}_4$  to the multi-instance setting. The remaining  $\text{Game}_{2.i}, \text{Game}_{2.i.1}, \text{Game}_{2.i.2}, \text{Game}_3$  can be described as follows: Let  $\mathcal{G} = (N, \mathbb{G}, \mathbb{G}_T, e) \leftarrow \text{GrpGen}(1^\lambda)$ . In all these games, master public keys given to adversary  $\mathcal{A}$  are

$$\text{MPK}^{(1)} = (g_1, g_1^{\alpha^{(1)}}, e(g_1, u^{(1)}), \text{H}), \dots, \text{MPK}^{(\tau)} = (g_1, g_1^{\alpha^{(\tau)}}, e(g_1, u^{(\tau)}), \text{H})$$

where  $g_1 \leftarrow \mathbb{G}_{p_1}^*, \alpha^{(1)}, \dots, \alpha^{(\tau)} \leftarrow \mathbb{Z}_N, u^{(1)}, \dots, u^{(\tau)} \leftarrow \mathbb{G}_{p_1}$  and  $\text{H}$  is picked from a family of pairwise-independent hash family; oracle  $\text{O}_\beta^{\text{Enc}}$  works as follows:

- On input  $(\iota^*, \text{ID}^*)$ , sample  $\text{CT}_1^* \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2} \mathbb{G}_{p_3}$  and compute

$$\text{KEY}_1^* = \text{H}(e(\text{CT}_1^*, \text{SK}_{\text{ID}^*}^{(\iota^*)}))$$

where  $\text{SK}_{\text{ID}^*}^{(\iota^*)}$  is obtained via a  $\text{O}^{\text{KeyGen}}$  query  $(\iota^*, \text{ID}^*)$ . Sample  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and return  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

However, on input  $(\iota, \text{ID})$ , oracle  $\text{O}^{\text{KeyGen}}$  behaves differently in those games:

- In  $\text{Game}_{2,i}$ , it returns

$$(u^{(\iota)})^{\frac{1}{\alpha^{(\iota)} + \text{ID}}} \cdot \boxed{g_2^{\sum_{j=1}^{2^i} \frac{r_j^{(\iota)}}{\alpha_j^{(\iota)} + \text{ID}}}} \cdot R_4$$

where  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $\alpha_j^{(1)}, r_j^{(1)}, \dots, \alpha_j^{(\tau)}, r_j^{(\tau)} \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ .

- In  $\text{Game}_{2,i,1}$ , it returns

$$(u^{(\iota)})^{\frac{1}{\alpha^{(\iota)} + \text{ID}}} \cdot g_2^{\sum_{j=1}^{2^i} \frac{r_j^{(\iota)}}{\alpha_j^{(\iota)} + \text{ID}}} \cdot \boxed{g_3^{\sum_{j=1}^{2^i} \frac{\hat{r}_j^{(\iota)}}{\hat{\alpha}_j^{(\iota)} + \text{ID}}}} \cdot R_4,$$

where  $g_3 \leftarrow \mathbb{G}_{p_3}^*$  and  $\alpha_j^{(1)}, r_j^{(1)}, \hat{\alpha}_j^{(1)}, \hat{r}_j^{(1)}, \dots, \alpha_j^{(\tau)}, r_j^{(\tau)}, \hat{\alpha}_j^{(\tau)}, \hat{r}_j^{(\tau)} \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ .

- In  $\text{Game}_{2,i,2}$ , it returns

$$(u^{(\iota)})^{\frac{1}{\alpha^{(\iota)} + \text{ID}}} \cdot g_2^{\sum_{j=1}^{2^i} \frac{r_j^{(\iota)}}{\alpha_j^{(\iota)} + \text{ID}} + \sum_{j=1}^{2^i} \frac{\hat{r}_j^{(\iota)}}{\hat{\alpha}_j^{(\iota)} + \text{ID}}} \cdot R_4,$$

where  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $\alpha_j^{(1)}, r_j^{(1)}, \hat{\alpha}_j^{(1)}, \hat{r}_j^{(1)}, \dots, \alpha_j^{(\tau)}, r_j^{(\tau)}, \hat{\alpha}_j^{(\tau)}, \hat{r}_j^{(\tau)} \leftarrow \mathbb{Z}_N$  for all  $j \in [2^i]$ .

- In  $\text{Game}_3$ , it returns

$$(u^{(\iota)})^{\frac{1}{\alpha^{(\iota)} + \text{ID}}} \cdot g_2^{\text{RF}^{(\iota)}(\text{ID})} \cdot R_4$$

where  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $\text{RF}^{(1)}, \dots, \text{RF}^{(\tau)}$  are  $\tau$  independent random functions.

**Lemmas and Proofs.** Most lemmas and proofs (including arguments) in Sect. 3.3, Sect. 3.2 and Sect. 4 can be extended directly to cope with multiple instances. In particular, in order to prove  $\text{Game}_{2,i} \approx \text{Game}_{2,i,1}$ ,  $\text{Game}_{2,i,1} \approx \text{Game}_{2,i,2}$ , and  $\text{Game}_3 \approx \text{Game}_4$  (where “ $\text{Game}_{xxx} \approx \text{Game}_{yyy}$ ” means two games are computationally indistinguishable) in the multi-instance setting, one can just invoke simulators described in the proofs of Lemma 5, Lemma 6, and Lemma 7 for *each* instance using *independent* random coins. It remains to give the following lemma showing  $\text{Game}_1 \approx \text{Game}_{2,0}$  with proof.

**Lemma 8 (from  $\text{Game}_1$  to  $\text{Game}_{2,0}$ , multi-instance case).** *For any p.p.t. adversary  $\mathcal{A}$  sending at most  $\hat{q}_\sigma$  queries to  $\text{O}^{\text{KeyGen}}$  and  $\text{O}_\beta^{\text{Enc}}$  for each of  $\tau$  instances, there exists  $\mathcal{B}$  with  $\text{T}(\mathcal{B}) \approx \text{T}(\mathcal{A}) + \tau \cdot \hat{q}_\sigma \cdot \text{poly}(\lambda)$  and*

$$|\text{Adv}_{\mathcal{A}}^{\text{Game}_{2,0}}(\lambda) - \text{Adv}_{\mathcal{A}}^{\text{Game}_1}(\lambda)| \leq \text{Adv}_{\mathcal{B}}^{\text{SD}^2}(\lambda) + 2^{-\Omega(\lambda)}.$$

*Proof.* Given  $(\mathcal{G}, g_1, g_4, X_1 X_2 X_3, T)$  where either  $T = g_1^\mu \leftarrow \mathbb{G}_{p_1}$  or  $T = g_1^\mu g_2^r \leftarrow \mathbb{G}_{p_1} \mathbb{G}_{p_2}$  for  $g_2 \leftarrow \mathbb{G}_{p_2}^*$  and  $\mu, r \leftarrow \mathbb{Z}_N$ , algorithm  $\mathcal{B}$  works as follows:

**Initialization.** Pick  $\alpha^{(1)}, \dots, \alpha^{(\tau)}, \mu^{(1)}, \dots, \mu^{(\tau)} \leftarrow \mathbb{Z}_N$  and select hash function  $H$ . Compute

$$T^{(1)} = T^{\mu^{(1)}}, \dots, T^{(\tau)} = T^{\mu^{(\tau)}}$$

and output

$$\text{MPK}^{(1)} = (g_1, g_1^{\alpha^{(1)}}, e(g_1, T^{(1)}), H), \dots, \text{MPK}^{(\tau)} = (g_1, g_1^{\alpha^{(\tau)}}, e(g_1, T^{(\tau)}), H).$$

Here we implicitly set

$$u^{(1)} = g_1^{\mu^{(1)}}, \dots, u^{(\tau)} = g_1^{\mu^{(\tau)}}.$$

**Answering  $\text{O}^{\text{KeyGen}}$ .** On input  $(\iota, \text{ID})$ , sample  $R_4 \leftarrow \mathbb{G}_{p_4}$  and return

$$(T^{(\iota)})^{\frac{1}{\alpha^{(\iota)} + \text{ID}}} \cdot R_4.$$

**Answering  $\text{O}_\beta^{\text{Enc}}$ .** On input  $(\iota^*, \text{ID}^*)$ , sample  $s' \leftarrow \mathbb{Z}_N$  and compute

$$\text{CT}_1^* = (X_1 X_2 X_3)^{s'} \quad \text{and} \quad \text{KEY}_1^* = H(e((X_1 X_2 X_3)^{s'}, \text{SK}_{\text{ID}^*}))$$

where  $\text{SK}_{\text{ID}^*}$  is obtained via a  $\text{O}^{\text{KeyGen}}$  query.  $\mathcal{B}$  then picks  $(\text{CT}_0^*, \text{KEY}_0^*) \leftarrow \mathbb{G}_{p_1} \times \{0, 1\}^\lambda$  and returns  $(\text{CT}_\beta^*, \text{KEY}_\beta^*)$ .

**Finalize.**  $\mathcal{B}$  returns 1 if  $\beta = \beta'$  and returns 0 in the other case.

When  $T = g_1^\mu$ , the simulation is identical to  $\text{Game}_1$ ; when  $T = g_1^\mu g_2^r$ , the simulation is identical to  $\text{Game}_{2,0}$  where we implicitly set

$$\begin{aligned} \alpha_1^{(1)} &= \alpha^{(1)} \bmod p_2 & \alpha_1^{(\tau)} &= \alpha^{(\tau)} \bmod p_2 \\ r_1^{(1)} &= r\mu^{(1)} \bmod p_2 & \dots & \dots & r_1^{(\tau)} &= r\mu^{(\tau)} \bmod p_2 \end{aligned}$$

This proves the lemma. □

**Acknowledgement.** We thank Benoît Libert, Somindu Ramanna and Kai Zhang for their advices. We also greatly thank all anonymous reviewers of PKC 2017. Their constructive comments motivated us to extend our basic result to the multi-instance setting and helped us to clarify some technical subtlety.

## References

- [AC16] Shashank Agrawal and Melissa Chase. A study of pair encodings: Predicate encryption in prime order groups. In *TCC 2016-A*, 2016.
- [AHY15] Nuttapon Attrapadung, Goichiro Hanaoka, and Shota Yamada. A framework for identity-based encryption with almost tight security. In *ASIACRYPT 2015*, pages 521–549. Springer, 2015.

- [Att14] Nuttapon Attrapadung. Dual system encryption via doubly selective security: Framework, fully secure functional encryption for regular languages, and more. In *EUROCRYPT 2014*, pages 557–577. Springer, 2014.
- [Att16] Nuttapon Attrapadung. Dual system encryption framework in prime-order groups. *ASIACRYPT 2016*, 2016.
- [BB04a] Dan Boneh and Xavier Boyen. Efficient selective-id secure identity-based encryption without random oracles. In *EUROCRYPT 2004*, pages 223–238, 2004.
- [BB04b] Dan Boneh and Xavier Boyen. Secure identity based encryption without random oracles. In *CRYPTO 2004*, pages 443–459, 2004.
- [BF01] Dan Boneh and Matt Franklin. Identity-based encryption from the weil pairing. In *CRYPTO 2001*, pages 213–229. Springer, 2001.
- [BGN05] Dan Boneh, Eu-Jin Goh, and Kobbi Nissim. Evaluating 2-dnf formulas on ciphertexts. In *TCC 2005*, pages 325–341. Springer, 2005.
- [BKP14] Olivier Blazy, Eike Kiltz, and Jiaxin Pan. (Hierarchical) Identity-based encryption from affine message authentication. In *CRYPTO 2014*, pages 408–425. Springer, 2014.
- [BL16] Xavier Boyen and Qinyi Li. Towards tightly secure lattice short signature and id-based encryption. In *ASIACRYPT 2016*, 2016.
- [BWY11] Mihir Bellare, Brent Waters, and Scott Yilek. Identity-based encryption secure against selective opening attack. In *TCC 2011*, pages 235–252. Springer, 2011.
- [CGW15] Jie Chen, Romain Gay, and Hoeteck Wee. Improved dual system abe in prime-order groups via predicate encodings. In *EUROCRYPT 2015*, pages 595–624. Springer, 2015.
- [CLR16] Jie Chen, Benoît Libert, and Somindu C. Ramanna. Non-zero inner product encryption with short ciphertexts and private keys. In *SCN 2016*, 2016.
- [CM14] Melissa Chase and Sarah Meiklejohn. Déjà Q: Using dual systems to revisit q-type assumptions. In *EUROCRYPT 2014*, pages 622–639, 2014.
- [CMM16] Melissa Chase, Mary Maller, and Sarah Meiklejohn. Déjà Q all over again: Tighter and broader reductions of q-type assumptions. In *ASIACRYPT 2016*, 2016.
- [CW13] Jie Chen and Hoeteck Wee. Fully,(almost) tightly secure ibe and dual system groups. In *CRYPTO 2013*, pages 435–460. Springer, 2013.
- [GCD<sup>+</sup>16] Junqing Gong, Jie Chen, Xiaolei Dong, Zhenfu Cao, and Shaohua Tang. Extended nested dual system groups, revisited. In *PKC 2016*, pages 133–163. Springer, 2016.
- [GDCC16] Junqing Gong, Xiaolei Dong, Jie Chen, and Zhenfu Cao. Efficient ibe with tight reduction to standard assumption in the multi-challenge setting. In *ASIACRYPT 2016*, 2016.
- [Gen06] Craig Gentry. Practical identity-based encryption without random oracles. In *EUROCRYPT 2006*, pages 445–464, 2006.
- [HKS15] Dennis Hofheinz, Jessica Koch, and Christoph Striecks. Identity-based encryption with (almost) tight security in the multi-instance, multi-ciphertext setting. In *PKC 2015*, pages 799–822. Springer, 2015.
- [Hof16a] Dennis Hofheinz. Adaptive partitioning. *IACR Cryptology ePrint Archive*, 2016:373, 2016.
- [Hof16b] Dennis Hofheinz. Algebraic partitioning: Fully compact and (almost) tightly secure cryptography. In *TCC 2016*, pages 251–281. Springer, 2016.



- [LOS<sup>+</sup>10] Allison Lewko, Tatsuaki Okamoto, Amit Sahai, Katsuyuki Takashima, and Brent Waters. Fully secure functional encryption: Attribute-based encryption and (hierarchical) inner product encryption. In *CRYPTO 2010*, pages 62–91. Springer, 2010.
- [LRY16] Benoît Libert, Somindu C. Ramanna, and Moti Yung. Functional commitment schemes: From polynomial commitments to pairing-based accumulators from simple assumptions. In *ICALP 2016*, 2016.
- [NR04] Moni Naor and Omer Reingold. Number-theoretic constructions of efficient pseudo-random functions. *J. ACM*, 51(2):231–262, 2004.
- [OT10] Tatsuaki Okamoto and Katsuyuki Takashima. Fully secure functional encryption with general relations from the decisional linear assumption. In *CRYPTO 2010*, pages 191–208. Springer, 2010.
- [Sha84] Adi Shamir. Identity-based cryptosystems and signature schemes. In *CRYPTO 84*, pages 47–53. Springer, 1984.
- [Wat05] Brent Waters. Efficient identity-based encryption without random oracles. In *EUROCRYPT 2005*, pages 114–127, 2005.
- [Wat09] Brent Waters. Dual system encryption: Realizing fully secure ibe and hibe under simple assumptions. In *CRYPTO 2009*, pages 619–636. Springer, 2009.
- [Wee14] Hoeteck Wee. Dual system encryption via predicate encodings. In *TCC 2014*, pages 616–637. Springer, 2014.
- [Wee16] Hoeteck Wee. Déjà Q: Encore! un petit ibe. In *TCC 2016*, pages 237–258, 2016.